


## TESTICOLO

Anni 2005-2017. Sintesi dei dati di incidenza. TESTICOLO

	MASCHI
<b>Numero casi</b>	273
<b>% sul totale</b>	1
<b>Tasso grezzo</b>	7,4
<b>Tasso standardizzato</b>	7
<b>Rischio cumulativo</b>	0,5
<b>Età media</b>	36,4
<b>Età mediana</b>	34
<b>Oss/Att AIRTUM (2008-2013)</b>	1,03
<b>Oss/Att Centro (2008-2013)</b>	1,04
<b>Oss/Att Nord (2008-2013)</b>	0,99
<b>Oss/Att Sud (2008-2013)</b>	1,11

Anni 2005-2017. Trend dei dati di incidenza. TESTICOLO

	MASCHI		
	Num_M	TSD_M	ES_TSD_M
2005	18	5,69	1,35
2006	26	8,30	1,65
2007	17	5,47	1,33
2008	23	7,41	1,55
2009	14	4,53	1,21
2010	16	5,33	1,33
2011	23	7,77	1,62
2012	30	10,11	1,85
2013	18	6,19	1,46
2014	23	7,95	1,66
2015	21	7,10	1,55
2016	21	7,26	1,59
2017	23	8,13	1,70




Anni 2005-2017. Tassi età specifici di incidenza TESTICOLO

ETA'	MASCHI
0-04	0,63
05-09	0,00
10-14	0,52
15-19	4,22
20-24	12,00
25-29	18,33
30-34	24,21
35-39	18,64
40-44	7,79
45-49	6,78
50-54	2,66
55-59	3,72
60-64	3,85
65-69	2,16
70-74	1,19
75-79	2,00
80-84	0,95
85+	2,75



Anni 2005-2017. Sopravvivenza. TESTICOLO

	2005-09	2010-14	stima 2015-17
1a_M	95,11	93,99	94,16
2a_M	94,29	93,28	94,32
3a_M	92,43	93,51	91,27
4a_M	92,65	93,74	91,27
5a_M	91,85	93,96	91,27



Anno 2017. Prevalenza osservata. TESTICOLO


Anni	MASCHI	
	Casi	Tassi
2009	42	14,99
2010	61	21,77
2011	84	29,98
2012	102	36,41
2013	128	45,69
2014	149	53,18
2015	163	58,18
2016	177	63,17
2017	199	71,03



Anni 2005-2017. Frequenza morfologie confermate microscopicamente. TESTICOLO

<b>MASCHI</b>	<b>N</b>	<b>%</b>
<b>Seminoma</b>	135	57,69
<b>Embrionale</b>	35	14,96
<b>Teratoma</b>	57	24,36
<b>Coriocarcinoma</b>	1	0,43
<b>Altre morfologie</b>	5	2,14
<b>Non specificato</b>	1	0,43

Anni 2005-2017. Trend delle morfologie.



MASCHI

